

Securities and Exchange Commission of Pakistan 63-NIC Building, Blue Area, Islamabad (Organization Effectiveness Division) (Administration Department)

March 25, 2013

Subject: <u>Procurement of "Wooden Cabinets (Medium Height) and Side Rack with Drawers"</u>

The Commission intends to purchase 02 x Wooden Cabinets (Medium Height) and 01 x Side Rack with Drawers, as per specifications given on Annex "A".

Terms & Conditions

- **Price** must be inclusive of all taxes applicable by Govt. of Pakistan.
- **Delivery** time within one week of receiving of P.O.
- **Validity** Minimum 30 Days from quoted date.
- **Bid Submission** Time within 07 days after receiving this RFQ.

Note: In case of any query, sample may be checked for exact measurement and specification. You may visit the sight/location or contact undersigned.

If you are interested, please submit sealed quotation for the above item to the undersigned SECP, 63-NIC Building, Jinnah Avenue, Blue Area, and Islamabad within the specified period.

An early and quick response will be appreciated.

With best regards.

M. Ubaidullah Khalid Asst. Director (Admin)

| S. No. | Specification | | Qty |
|--------|--|----------------------------------|-----|
| 1 | Wooden Cabinet (Medium Height) | | |
| | No. of Shelves | 03 | |
| | Size | H x W x D = 4'6" x 2'7" x 1'5" | |
| | Made of Lasani Lamination sheet 3/4" thick with Double Door | | 02 |
| | Back Side Sheet = 5mm Lamination Press | | |
| | Imported Long Hinge, PVC Edging = Imported 1.5mm | | |
| | All edges should be pressed with high quality imported matching wooden tape. | | |
| | Best quality imported lock, handle and hinges should be fixed | | |
| 2 | Side Rack with Drawers | | |
| | No. of Drawers | 03 | |
| | Size | H x W x D = 1'11" x 1'4" x 1'10" | |
| | Made of Lasani Lamination sheet 3/4" thick | | 01 |
| | Back Side Sheet = 5mm Lamination Press | | |
| | PVC Edging = Imported 1.5mm | | |
| | All edges should be pressed with high quality imported matching wooden tape. | | |
| | Best quality imported lock, handle and channels should be fixed | | |