



Securities and Exchange Commission of Pakistan

63-NIC Building, Blue Area, Islamabad
(Support Services Division)
(Administration Department)

Subject: Supply and Installation of “Biometric Access Control Device i.e. ZKT Eco (Model F 18)” and Supply of Mobile Access Control Device

The Commission intends supply and installation of “Biometric Access Control Device” **ZKT Eco (Model F 18) and Supply of Mobile Access Control Device** as per below mentioned requirements:

S. No.	Requirements	Qty.
1	Mobile Access Control Device Compatible with ZKT Eco (Model F 18) required at Head Office <i>Purpose: Battery Operated mobile device is required to record RFID/finger prints at users workplace</i>	1
Locations at Which Supply and Installation is Required		
1	CRO Islamabad	1
2	CRO Peshawar	1

Terms & Conditions

- **Interest Firms must be** registered with sales tax department and having national tax number (NTN).
- **Price** must be inclusive of all taxes applicable by Govt. of Pakistan and as per Annex “A”.
- **Delivery** time within one week of receiving of P.O.
- **Quotation Validity** Minimum 30 Days from quoted date.
- **Bid Submission** as per SECP Website.
- **Quantity** given above may increase.
- **Installation/Commissioning:** Complete installation, configuration, commissioning, and integration with existing system shall be responsibility of the vendor.
- **Evaluation Criteria:** Bidder quoting lowest shall be selected for the required supply and installation.
- **Warranty Period:** Comprehensive one year warranty **MUST** be mentioned on the quote.

If you are interested, please visit site site and then submit sealed quotation for the above item to the undersigned SECP, 63-NIC Building, Jinnah Avenue, Blue Area, and Islamabad within the specified period.

With best regards.

M. Ubaidullah Khalid
Assistant Director (Admin)

S. No.	Item	UOM	Qty	Quoted Rate (Incl. of All applicable taxes)
1.	Biometric Access Control Device i.e. ZKT Eco (Model F 18)	No.	1	
2.	Mobile Access Control Device Compatible with ZKT Eco (Model F 18) required at Head Office	No.	1	
3.	Stainless Steel Stand for the Device.	No.	1	
4.	Duct	Rft	1	
5.	Power Cable	Rft	1	
6.	Any Other Item			
7.	Any Other Charges			

Note: SECP reserves the right to cancel this purchase at any time of the purchase process. Further SECP also reserves the right to eliminate any required item as per its requirement.