

IT Tender Pre-Bid Response

Sr. No.	QUERY	SECP RESPONSE
End to End Replacement Solution for Existing Centera Hardware/Software with complete support and warranty.		
1.	Why are 15K SAS drives quotes for archiving solution?	We use archived data for production application so preferably require faster drives.
2.	What is daily growth Rate?	In KBs
3.	Centera Parity or Mirrored?	Mirrored
4.	CTA Generation?	Gen 4
5.	Centera retrieval rate by application?	We cannot answer
6.	On the basis of CM, any migration possibility?	Proposed solution will decide this.
7.	Remote access will be permitted for deployment?	YES
8.	What will be mode of delivery for bundled trainings?	Whatever is suitable and within budget.
9.	How will Recover point integration be performed?	It is not compulsion and is only desired.
10.	Expected downtime will be agreed?	If downtime, then 48 hours allowed in weekend if downtime is required
11.	Expected Deployment time?	As early as possible after hardware delivery
12.	Technical Evaluation time?	At max four weeks after tender opening. Then financial will be called.
13.	Any minimum number of proposals required?	Shortlisted bids after evaluation of technical bids will not exceed (5).
14.	What will be in second stage?	In second stage only financial proposals will be called from those bidders that qualify in stage 1 (as per our Procurement Policy).
15.	A question was raised for usable space (24TB usable space)?	We asked as per our requirement, however proposed solution may suggest available configuration
16.	Any revised technical solution will be published?	No. It would not be published, as technical Information and quires have been addressed in Pre-Bid meeting. However, if offered replacement solution even being best evaluated solution is not as per requirement of SECP then we may proceed for re-tender
Note: It was also informed to participants that bit-by-bit data validation is required after migrations by Principal / Third Party Organization.		