

SECURITIES AND EXCHANGE COMMISSION OF PAKISTAN

No. T# 15/15-16

Invitation to Bid

The Securities and Exchange Commission of Pakistan (SECP), setup in pursuance of the Securities and Exchange Commission of Pakistan Act, 1997 is an apex regulatory authority mandated to regulate and supervise the Pakistani securities markets, corporate sector, insurance industry and non-banking financial sector etc.

The Securities & Exchange Commission of Pakistan invites sealed bids from suppliers registered with Income Tax and Sales Tax Departments for

S. No.	Requirements	Reference
a)	Supply and Installation of Video Conferencing	[T#15(i) /15-16]
	Equipment/Facility	
b)	Purchase of Microsoft Exchange Server 2016	[T#15(ii) /15-16]
	Standard Edition	

Bidding documents containing detailed terms and conditions, method of procurement, procedure for submission of bids, bid security, bid validity, opening of bid, evaluation criteria, clarification/rejection of bids etc. against above requirement(s) are available for the interested bidders from the undersigned and can also be downloaded from www.secp.gov.pk/procurement.asp free of cost.

The bids prepared in accordance with the instructions in the bidding documents, must reach undersigned on or before January 22, 2016 at 1500 Hrs and will be opened on the same day at 1530Hrs.

M. Ubaidullah Khalid – Asst. Director (Admin) 4th Floor, NICL Building, 63 Jinnah Avenue, Islamabad Tel: 9207091-4 Ext 444

Email: ubaidullah.khalid@secp.gov.pk

Terms and Conditions for Bids and Bidders

- 1. Tender Identification Number: TENDER # 15 (i) / 15-16.
- 2. The Securities and Exchange Commission of Pakistan (SECP), setup in pursuance of the Securities and Exchange Commission of Pakistan Act, 1997 is an apex regulatory authority mandated to regulate and supervise the Pakistani securities markets, corporate sector, insurance industry and non-banking financial sector etc.
- 3. The Securities and Exchange Commission of Pakistan invites sealed bids from the principal's authorized dealers/distributors/partners/resellers based in Pakistan and registered with sales tax department, having national tax number (NTN) for ""Supply and Installation of Video Conferencing Equipment/Facility" through SINGLE STAGE ONE ENVELOP METHOD.
- 4. The Procurement Agency is:

Securities and Exchange Commission of Pakistan4th Floor, NICL Building, 63 Jinnah Avenue, Blue Area, Islamabad.

- 5. Relevant details plus terms and conditions of the invitation may be obtained from the undersigned personally or by visiting the SECP website: www.secp.gov.pk/procurement.asp
- 6. The right to accept, reject and cancel any offer without assigning any reason is hereby reserved. The SECP's decision will be final and binding in all matters relating to this invitation.
- 7. The SECP is not bound to accept the lowest bid and reserves the right to accept full or partial supplies offered and bidders should supply the same at the rates finalized between the agency and the bidder.
- 8. SECP reserves the right to cancel this invitation and reject all bids at any stage of the bidding process.
- 9. The bid validity period shall be 150 days.
- 10. The amount of the bid and earnest money shall be in Pak rupees. The bids should be accompanied by earnest money (refundable) for an amount equal to 2% of the total quoted price (inclusive GST, if applicable) in shape of either pay order, demand draft valid for not less than 6 months in favor of Securities and Exchange Commission of Pakistan, 4th Floor, NICL Building, 63 Jinnah Avenue, Blue Area, Islamabad. Bids not accompanied by earnest money will not be entertained.
- 11. If the bid is withdrawn before the expiry of its validity or the supply/services are not made/provided within due date, the earnest money will be forfeited in favor of the SECP, Islamabad.
- 12. It is of utmost importance that bids should be submitted very carefully and the instructions set forth above, scrupulously complied with, failing which the offer will be ignored.

- 13. The language of the bid is English and alternative bids shall not be considered.
- 14. Amendments or alterations/cutting etc., in the bids must be attested in full by the person who has signed the bids.
- 15. The prices quoted shall correspond to 100% of the requirements specified. The prices quoted by the bidder shall not be adjustable. Changes or revisions in rates after the opening of the bids will not be entertained and may disqualify the original offer.
- 16. The rates must be quoted strictly in accordance with our documents and Annex(s). In the event of non-acceptance of offer no intimation will be given to the individual bidder.
- 17. Discounts (if any) offered by the bidder shall be part of the bid.
- 18. Bidder must have regular place of business, telephone numbers and email address and must provide proof of their existence in the particular business.
- 19. Only registered suppliers who are on Active Taxpayers List (ATL) of FBR are eligible to supply goods/services to the Commission.
- 20. If any supplier is not in ATL then his payment shall be stopped till he files his mandatory returns and appears on ATL of FBR.
- 21. Items included in Compulsory Certification Scheme of PSQCA shall be duly certified by an accredited laboratory and fulfill necessary conditions of PSQCA, as applicable.
- 22. Comprehensive warranty & onsite support for mentioned years shall be given for the equipment at Islamabad, Karachi, and Lahore offices (if applicable).
- 23. All software based items contains installation and configuration and end user orientation which is responsibility of the supplier (if support is not provided by the Principal).
- 24. The equipment/software/renewals supplied must be duty paid in respect of all applied duties and taxes.
- 25. The end user License, end user warranties and end user support services will be in the name of SECP for all equipment and software loaded on the equipment delivered.
- 26. A copy of valid authorized agency/partnership/dealership/distributorship certificate from their principals is to be submitted with the bid in case of any such claim.
- 27. The bidders do not have the option of submitting their bids electronically. Telegraphic and conditional bids will not be accepted. Unsealed bids will not be entertained.
- 28. Sealed bids may be dropped in the tender drop box placed at Ground Floor of the NIC Building, 63 Jinnah Avenue, Islamabad.
- 29. Clarification if any on the technical requirement may be obtained from:
 - o <u>ubaidullah.khalid@secp.gov.pk</u>

- 30. The earnest money of successful bid will be retained and that of other bidders will be returned.
- 31. In case applicable taxes have neither been included in the quoted price nor mentioned whether quoted amount is inclusive or exclusive of such taxes, then quoted amount will be considered inclusive of all taxes and selected service provider will have to provide the required services/equipment, if selected and declared as best evaluated bidder. In case selected bidder is not willing to supply on quoted amount then earnest money submitted with the bid will be forfeited in favor of the Commission.
- 32. Bids received will be evaluated as per evaluation criteria given in the TORs.
- 33. The place of destination is: **Securities and Exchange Commission of Pakistan**, 4th Floor, NICL Building, 63 Jinnah Avenue, Blue Area, Islamabad.
- 34. The envelopes shall bear the following additional identification marks:

Bid for: "Supply and Installation of Video Conferencing

Equipment/Facility"

Bidder Name: XYZ

Attention: Assistant Director, Admin, 4th Floor

NICL Building, 63 Jinnah Avenue

Blue Area, Islamabad

35. The deadline for the submission of bids is:

Date: January 22, 2016

Time: 1500Hrs

36. The bid opening shall take place at:

Securities and Exchange Commission of Pakistan 4th Floor, NICL Building, 63 Jinnah Avenue, Blue Area,

Islamabad

Date: January 22, 2016

Time: 1530Hrs

- 37. A statement "Not to be opened before 1530 Hrs on January 22, 2016" shall be clearly mentioned on the top of the sealed bid.
- 38. The bids received after the due date and time will not be entertained.
- 39. The SECP reserves the right to amend/change/revise the TORs of invitation if deemed necessary. The successful bidder shall have to provide the services accordingly.

Note:

• The attachment details are as under

Terms of Reference
 Evaluation Criteria
 Annex "A"
 Annex "B"

• If the above terms and conditions are acceptable then bids must be submitted well in time and according to the requirements.

TERMS OF REFERENCE

Technical Specifications for Video Conferencing Equipment (Qty=01)

	Multimedia and presentations can be shared at the touch of a button
	Basic API available over IP (Telnet or Secure Shell Protocol [SSH])
Application	Dual-display
Features	High-definition content sharing up to 1080p30 resolution
	One button to push (OBTP) to start a meeting Description (1989) (0)
	Premium resolution (1080p60) H 222/SID and a CMinus
	H.323/SIP calls up to 6 Mbps Poilt in individual land and the la
	Built-in individually transcoded multipoint conferencing offers ability to add three additional participants
Performance	Easy provisioning and self-configuration with Unified Communications
Features	Manager (CUCM), VCS.
	Multiway features, recording and streaming, and firewall traversal services
	Unified Communications Manager native support (requires Unified)
	Communications Manager
D 6 14	• Codec, TelePresence PrecisionHD Camera - (1080p12x)
Default	TelePresence Table Microphone 20, remote control, cables, and power
components	supply
0.451	• TelePresence Touch 8
Optional components	• Wall mount kit
Components	Additional microphone
Bandwidth	• H.323 and SIP up to 6 Mbps
Minimum	• 720p30 from 768 kbps
bandwidth for	• 720p60 from 1152 kbps
resolution/fr	• 1080p30 from 1472 kbps
ame rate	• 1080p60 from 2560 kbps
Video	• H.263, H.263+, H.264
Standards	
	Native 16:9 widescreen
Video	Advanced screen layouts
Features	Intelligent video management
	Local auto-layout
	One HDMI and One DVI-I (Analog and Digital): Supported Formats.
Video Inputs	• 640x480, 720x480, 720x576, 800x600, 848x480, 1024x768, 152x864,
(Two Inputs)	1152x864, 1280x720, 1280x1024, 1280x768, 1280x800, 1280x960,
	1360x768, 1366x768, 1400x1050, 1440x900,1680x1050, 1920x1080, EDID.
	Two HDMI Outputs Supported Formats.
	1920 x 1080@60 fps (1080p60), 1920 x 1080@50 fps (1080p50), 1280 x
Video	720@60 fps (720p60), 1280 x 720@50 fps (720p50), 1366 x 768@60 fps
Output	(WXGA), 1360 x 768@60 fps(WXGA), 1280 x 768@60 fps (WXGA),
	VESA Monitor Power Management, EDID, Live Video Resolutions
	(Encode and Decode).

Audio Standards	• G.711, G.722, G.722.1, 64 kbps AAC-LD
	CD-quality 20 KHz mono
	Two acoustic echo cancellers
Audio	Automatic Gain Control (AGC)
Features	Automatic noise reduction
	Active lip synchronization
	Two microphones, 4-pin minijack
Audio	One minijack for line-in (stereo)
Inputs	One audio in from camera (HDMI)
Audio	One minijack for line out (stereo)
Outputs	One HDMI, (digital main audio)
	• H.239 (H.323) dual stream
Dual Stream	BFCP (SIP) dual stream
	• Support resolutions up to 1080p (1920 x 1080)
	Four-way embedded SIP/H.323 MultiPoint reference MultiSite
	TelePresence Multiway support (requires TelePresence Video
MultiPoint	Communication Server [
Support	VCS] and TelePresence MCU)
	• Ability to natively join multipoint conferences hosted on Telepresence Multipoint Switch (CTMS)
	• Adaptive SIP/H.323 MultiSite; resolution up to 576p30
	• 3-way resolution up to 720p30
	• 4-way resolution up to 576p30
	Full individual audio and video transcoding
	Individual layouts in multisite continuous presence
MultiSite	• H.323/SIP/VoIP in the same conference
Features (Embedded	• Support for Presentation (H.239/BFCP) from any participant at resolutions
Multipoint)	up to 1080p15/SXGA
	Best Impression (automatic continuous presence layouts)
	• H.264, encryption and dual stream from any site
	IP Downspeeding
	Dial in and dial out
	Conference rates up to 6 Mbps
	• H.323
Protocols	• SIP
	• ISDN (requires TelePresence ISDN Link)
	• H.323 and SIP point-to-point
Embedded	• Standards-based: H.235 v3 and Advanced Encryption Standard (AES)
Encryption	Automatic key generation and exchange
	Supported in dual stream
IP Network	DNS lookup for service configuration Diff
Features	Differentiated services (quality of service [QoS])
	IP-adaptive bandwidth management (including flow control)

	Automatic gatekeeper discovery
	Dynamic playout and lip-sync buffering
	• H.245 Dual Tone Multi-frequency (DTMF) tones in H.323
	• Date and time support using Network Time Protocol (NTP)
	Packet loss-based down speeding
	• Uniform resource identifier (URI) dialing
	• TCP/IP
	• DHCP
	• 802.1x network authentication
	• 802.1Q Virtual LAN
	• 802.1p (QoS and class of service [QoS])
	• ClearPath
	Medianet: Mediatrace and Metadata
	Native registration with Unified Communications Manager
	Basic Unified Communications Manager provisioning
	Software upgrade from Unified Communications Manager
CUCM	CDP and DHCP option 150 support
	Basic telephony features such as hold/resume/transfer and Corporate
	Directory lookup
	• Single call stack support for both H323 and SIP
IPv6	 Dual-stack IPv4 and IPv6 for DHCP, SSH, HTTP, HTTPS, DNS,
Network	DiffServ
Support	Support for both Static and Automatic IP configuration (stateless address)
	auto configuration)
	Management using HTTPS and SSH
g •4	IP administration password
Security Features	Menu administration password
reatures	Disable IP services
	Network settings protection
Network	• One LAN and Ethernet (RJ-45) 10/100/1000 Mbit
Interface	• One LAN and Ethernet (KJ-45) 10/100/1000 Wort
Other Interfaces	• Two USB ports for future usage
	Support for the TelePresence Management Suite
	Total management using embedded SNMP, Telnet, SSH, XML, SOAP
System	• Remote software upload: using web server, secure copy (SCP), HTTP,
management	HTTPS
	TelePresence Touch (optional)
	Remote control and on-screen menu system
	Support for local directories (My Contacts)
	Corporate directory
Directory	Unlimited entries using server directory supporting LDAP and H.350
Services	(requires TelePresence
	Management Suite)
	Unlimited number for corporate directory (through TelePresence)

	Management Suite)
	Received calls with date and time
	Placed calls with date and time
	Missed calls with date and time
	Auto-sensing power supply
Power	• 100 - 240 VAC, 50/60 Hz
	Maximum 40 watts for codec and main camera
Operating	• 0°C to 40°C (32°F to 104°F) ambient temperature
Temperatur e and Humidity	• 10% to 90% Relative Humidity (RH)

Technical Specifications for LED Screen (to be used with VC Equipment) (Qty=01)

S. No.	Description	Qty
1	Samsung, Sony (or equivalent) LED TV (55")	
	· Resolution 1920 x 1080 (Full HD) [Must]	
	· Wireless connectivity	
	· Audio Out (Mini Jack)	
	· Component In (Y/Pb/Pr)	
	· Composite In (AV)	
	· Digital Audio Out (Optical)	
	· 2 HDMI ports [Minimum]	
	· 1 Ethernet port	
	· RF In (Terrestrial/Cable Input)	1
	· 2 USB ports [Minimum]	
	· Dolby Digital Plus/Dolby Pulse	
	· Power: AC100-240V 50/60Hz	
	· Auto power off	
	· Energy Star compliant	
	· Normal Button Remote	
	· User manual, Power Cable	
	· Table stand, wall mounting kit with installation services	
	[Must]	
	· Comprehensive Warranty: at least one (01) year	

Evaluation Criteria

Evaluation of received bids will be carried out as per following evaluation criteria:

1. Technical Evaluation60%2. Financial Evaluation40%100%

Technical Evaluation Criteria

Sr.	Description	Marks
1	Smartnet Support (1 Year)	Must
2	Contract ID in SECP's name	Must
3	Multisite (MCU) License (1+3)	Must
4	Valid Tier-1 Partnership Letter	Must
5	CUCM Support and Native Registration	Must
6	Wall Mount Kit	Must
7	Protocols (H.323, SIP, ISDN) and embedded encryption	15
8	Bandwidth Support (H.323 and SIP up to 6 Mbps)	15
9	Performance Features (as per TORs)	10
10	Audio/Video Ports and Features (as per TORs)	10
11	Samsung, Sony (or equivalent) or LED 55" (With Wall mount Kit and Installation)	10
	60	