

Subject: INVITATION OF QUOTATION FOR MISC FURNITURE

Please refer to the above captioned subject matter. In that regard it is stated that the Commission invites quotations of misc following furniture as per following:

Director Table :- (Nos: 1)

Executive Table with Side Rack, Table Size L 5'-6" or L 5' x D 2'-6" and Side Rack Size L 3'-6" or 3' & D 18", HPL Laminate Finish, Color as per Approved by SECP, Table Top thickness 1" Laminate on MDF with PVC Lipping on Edges, Side Rack Top thickness 1" HPL Laminate on MDF, Front Modesty Panel in HPL Laminate Finish on MDF in 1" thickness, design & Size as per approved by SECP. One Fix Drawer Unit Complete  $\frac{3}{4}$ " thickness in HPL Laminate Finish on Partical Board with PVC Lipping on Edges with Central Lock, Ball Bearing Channels & Imported Handles.

Sofa Set: Two single seated sofa



Officer Table (Nos 2)

Executive Table with Side Rack, Table Size L 6' x D 2'-8" with Side Rack Size L 3'-6" x D 18", HPL Laminate Finish, Color as per Approved by SECP, Table Top thickness 1-1/2" Laminate on MDF with 1-1/2" Thick Solid Wood Lipping with Matching Polish Finish, Side Rack Top thickness 1-1/2" HPL Laminate on MDF with 1-1/2" Solid Wood Lipping with Matching Polish Finish, Front Modesty Panel in HPL Laminate Finish on MDF, Legs in 1-1/2" Thick MDF with Solid Wood Lipping, design & Size as per approved by SECP. One Fix Drawer Unit in HPL Laminate Finish (Inner & Outer Side) Complete in  $\frac{3}{4}$  thickness on Particle Board with PVC Lipping on Edges with Central

Lock, Ball Bearing Channels & Imported Handles.



Aura High Back Chair Specification (5Nos)

The S- Shape backrest is designed according to the contour of the human spine to provide optimum lumbar support and encourage proper seating posture.

➤ Unique "Permanent Contact Mechanism" provides constant support that is synchronized with the

natural seating movement.

- Fixed position angle control system at 3 positions & extra torsion adjustment control.
- Adjustable seat height-hydraulic gas lifts type and swivel.
- Sleek and stylish polypropylene armrests.
- Guaranteed PU Molty-Excel molded Foam (Car Seat Foam) seat and backrest.

- High frequency compression process on multi-layered veneer shell, anatomically designed for posture support.
  - Flexibility in choice of upholstery fabric, leatherette.
  - 5-prong pressure die-cast Nylon with reinforced fiber glass base for added seating support.
  - Twin wheel castors, which meet requirements of BIFMA and DIN standards.
- 



### **Aura Low Back Chair Specification (Nos: 6)**

- The S- Shape backrest is designed according to the contour of the human spine to provide optimum lumbar support and encourage proper seating posture.
- Unique "Permanent Contact Mechanism" provides constant support that is synchronized with the natural seating movement.
- Fixed position angle control system at 3 positions & extra torsion adjustment control.
- Sleek and stylish polypropylene armrests.
- Guaranteed PU Molty-Excel molded (Car Seat Foam) Foam seat and backrest.
- High frequency compression process on multi-layered veneer shell, anatomically designed for posture support.
- Flexibility in choice of upholstery fabric, leatherette or genuine leather.
- 5-prong pressure die-cast Nylon with reinforced fiber glass base for added seating support.

## Workstation(For two staff memebers)

Aluminum Workstation, Total based on Customization as per approved standard of SECP. Anodized Aluminum Panel (silver color) thickness 30mm, Arch Shape Panel End Post, Panel Finish above the worktop in Tackable Board with the approved best quality Fabric by SECP & Under the Worktop Panel in HPL Laminate, Front Panel Width According to provided drawing, & Height 4', Side Panel Width according to provided drawing & Height 48", Panel section in Aluminum Profile, Pole for Panel in Aluminum with the balancer for height adjustment, Panel Top Trim cover in Aluminum (silver color) and balancer on bottom of panel for height adjustment. Panel Centre beam in Aluminum for worktop holding with Counter Top Bracket. PVC Connection Strip to hold the Aluminum panel with the Aluminum Pole. Worktop Sizes as per provided drawing, Worktop thickness 1 inch in HPL Laminate with PVC Lipping on Edges, Wire Cap on Worktop. Mobile Drawer Complete in 3/4" thick in Formite Laminate Finish (including drawer inner side) with PVC Lipping on Edges, Central Lock, Ball Bearing Channels & Imported Handles.



- **Price** must be inclusive of all taxes applicable by Govt. of Pakistan.
- **Delivery** time within 3 week of receiving of P.O.
- **Validity** Minimum 30 Days from quoted date.
- **Bid Submission.** Within 7 days after receipt of RFQ.
- **Quantity** required may increase or decrease.
- **Warranty Period:** warranty must be mentioned on the quote (if applicable).

Regards,

(Mohsin Syed)  
Deputy Director-A