



Securities and Exchange Commission of Pakistan

63-NIC Building, Blue Area, Islamabad
(Administration Department)

Subject Quotation required for Supply of Multimedia Projector.

The Commission intends to purchase multimedia projector as per technical specifications given at **Annex -A**

Terms and Conditions

- **Price must be inclusive of all taxes applicable by Govt. of Pakistan.**
- **Quantity:** (01) may increase.
- **Validity:** Minimum 30 Days from quoted date.
- **Quotation Submission:** as per date given on SECP website.
- **Warranty:** 01 year Comprehensive Warranty.
- **Delivery time:** Within one week after issuances of work order from SECP.
- No advance will be paid.
- Transportation, installation and other charges (if any) should be included in the Quotation.

Note: SECP reserves the right to cancel this RFQ at any stage of the purchase process and delete any item.

If you are interested, please submit sealed quotation for the above item to the undersigned SECP, 63-NIC Building, Jinnah Avenue, Blue Area, Islamabad within the specified period OR in case if there is a non-working day within the specified period then sealed quotation may be dropped in the tender box placed at Ground Floor of the NIC Building, 63 Jinnah Avenue, Islamabad on holiday.

With best regards,

M. Ubaidullah Khalid
Assistant Director (Admin)

Specifications for Multimedia Projector

S. No.	Feature	Specification
1.	Brightness	4000 Lumens
2.	Display Technology	Transparent LCD panel (x 3, R/G/B)
3.	Resolution	XGA (1024*768)
4.	Networking	RJ-45 × 1 (for network connection, 10Base-T/100Base-TX, compliant with PjLink™ (class 1))
5.	Screen Size	0.76–7.62 m (30–300 inch)
6.	H Sync	15.0 – 100.0 kHz
7.	V Sync	50 Hz – 85 Hz
8.	Data Signals	XGA (1024*768)
9	Input	HDMI 19-pin x 1, COMPUTER IN 1 D-sub HD 15-pin (female) x 1 (RGB/YPBPR/YCBCR x 1) COMPUTER IN 2 / MONITOR OUT : D-sub HD 15-pin (female) x 1 (RGB x 1), (input/output selectable using on-screen menu) VIDEO In : Pin jack x 1 (Composite VIDEO) VGA (640 x 480)-WUXGA (1,920 x 1,200) S-VIDEO IN : Mini DIN 4-pin x 1 (S-VIDEO) SERIAL In : D-sub 9-pin (female) x 1 for external control (RS-232C compliant)
10	Audio Input	AUDIO 1 IN : M3 x 1 (L-R x 1) AUDIO 2 IN (MIC IN) : M3 x 1 (L-R x 1) for audio input or for microphone connection (variable) AUDIO 3 IN : Pin jack x 2 (L, R x 1)
11	AUDIO Out :	M3 x 1 (L-R x 1) for output (variable)
12	Video Signals	HDMI 19-pin x 1 (compatible with HDCP) 480p, 576p, 720/60p, 720/50p, 1080/60i, 1080/50i, 1080/60p, 1080/50p, RGB (Analog) YPBPR (YCBCR) S-Video/Video VGA
13.	Audio Speaker	10.0 W Mono
14.	Keystone	Horizontal and Vertical Specs: -/+ 40 (V), -/+ 30 (H)
15.	Lamp	245 W × 1
16.	Projection Method	Both Ceiling and Floor
17.	Lamp Life	Minimum 3000 hours
18.	Uniformity	85%
19.	Aspect Ratio	Native 4:3
20.	Contrast ratio	Minimum 2000:1
21.	Eco Mode	Required

Technical Evaluation Criteria

Specification	Required	Marks
Brightness	At least 4000 lumens	20
Resolution	XGA (1024*768)	10
HDMI Input	Required	10
Delivery Time	02 weeks	10
Warranty	01 year Comprehensive Warranty	10