
SECURITIES AND EXCHANGE COMMISSION OF PAKISTAN

CORRIGENDUM

Reference to SECP invitation to bid **(Tender No. 08/18-19)** published in newspapers (The News and Daily Express) on Wednesday December 05, 2018 for Purchase of Misc. IT Software and Hardware Items. It is informed that last date for submission of bids has been extended from **December 20, 2018** to **December 31, 2018**.

Further to above, bidding documents of some requirements have also been revised which may be downloaded from SECP website: <u>https://www.secp.gov.pk/procurement/</u>

Deputy Director (Admin) Tel: 051-9207091-4 Ext 437



SECURITIES AND EXCHANGE COMMISSION OF PAKISTAN

<mark>No. T# 08/18-19</mark>

Invitation to Bid

The Securities & Exchange Commission of Pakistan invites sealed bids from suppliers registered with Income Tax and Sales Tax Departments for following:

S. No.	Requirements	Tender Ref No.
1.	Network Switches (L3)	T# 08 (i)/18-19
2.	Internet and WAN Routers	T# 08 (ii)/18-19
3.	Web Application Firewall (Reverse Proxy)	T# 08 (iii)/18-19
4.	Data Center Next Generation Firewall	T# 08 (iv)/18-19
5.	High End Production Servers	T# 08 (v)/18-19
6.	Storage Solution for Backup	T# 08 (vi)/18-19
7.	Laptops	T# 08 (vii)/18-19
8.	AIO (All-In-One) Desktop Computers	T# 08 (viii)/18-19
9.	Wireless Access Points	T# 08 (ix)/18-19
10.	Color Scanners	T# 08 (x)/18-19
11.	High End Printers	T# 08 (xi)/18-19

Interested bidders may get bidding documents containing detailed terms and conditions, method of procurement, procedure for submission of bid, bid security, bid validity, date and location for opening of bid, bid evaluation criteria, clarification/rejection of bid etc. from the undersigned and can be downloaded from **https://www.secp.gov.pk/procurement/** free of cost.

The bids prepared in accordance with the instructions in the bidding documents, must reach undersigned on or before December 31, 2018 at 1500Hrs and will be opened on the same day at 1530Hrs.

In case of any query, Admin Department may be contacted on Telephone No. 051-9207091 (Ext-437) during Office Hours (Monday to Friday excluding Public Holidays)

Deputy Director (Admin)

Terms and Conditions for Bids and Bidders

1. Tender Identification Number: TENDER # 8 (iii)/ 18-19

2. The Procurement Agency is:

Securities and Exchange Commission of Pakistan 4th Floor, NICL Building, 63 Jinnah Avenue, Blue Area, Islamabad.

- 3. The Securities and Exchange Commission of Pakistan (SECP), setup in pursuance of the Securities and Exchange Commission of Pakistan Act, 1997 is an apex regulatory authority mandated to regulate and supervise the Pakistani securities markets, corporate sector, insurance industry and non-banking financial sector etc.
- 4. The Securities and Exchange Commission of Pakistan invites sealed bids from the principal's authorized dealers/distributors/partners/resellers based in Pakistan and registered with sales tax department, having national tax number (NTN) for:

PURCHASE OF WEB APPLICATION FIREWALL (REVERSE PROXY) through SINGLE STAGE TWO ENVELOP METHOD.

- 5. Bid shall comprise a single package containing two separate envelopes. Each envelope shall contain separately the financial Bid and the technical Bid. The envelopes shall be clearly marked as "FINANCIAL BID" and "TECHNICAL BID" in bold and legible letters.
- 6. Initially, only the envelope marked "TECHNICAL BID" shall be opened publically. The envelope marked as "FINANCIAL BID" shall be retained.
- 7. After the evaluation and approval of the technical bid, financial bids of the technically accepted bids only will be opened at a time, date and venue announced and communicated to the bidders in advance. Financial bids of technically unsuccessful bidders will be returned.
- 8. Relevant details plus terms and conditions of the invitation may be obtained from the undersigned personally or by visiting the SECP website: <u>https://www.secp.gov.pk/procurement/</u>
- 9. The bid validity period shall be 150 days.
- 10. Any bidder may quote for any single requirement.
- 11. The amount of the bid and bid security shall be in Pak rupees.
- 12. The bid security shall be submitted in a third sealed envelope with the technical bid. The bids should be accompanied by bid security (refundable) for an amount equal to 2% of the total quoted price (inclusive GST, if applicable) in shape of either pay order, demand draft valid for not less than 6 months in favor of **Securities and Exchange Commission of Pakistan.**

- 13. Bids not accompanied by bid security or with less amount of bid security will not be entertained.
- 14. In case any bidder submits more than one option against this invitation then bid security shall be submitted against highest quoted option.
- 15. The bid security of successful bidder will be retained and that of other bidders will be returned after award of contract.
- 16. If the bid is withdrawn before the expiry of its validity or the supply/services are not made/provided within due date, the bid security will be forfeited in favor of the SECP, Islamabad.
- 17. It is of utmost importance that bids should be submitted very carefully and the instructions set forth above, scrupulously complied with, failing which the offer will be ignored.
- 18. The language of the bid is English and alternative bids shall not be considered.
- 19. Amendments or alterations/cutting etc., in the bids must be attested in full by the person who has signed the bids.
- 20. The prices quoted shall correspond to 100% of the requirements specified. The prices quoted by the bidder shall not be adjustable. Changes or revisions in rates after the opening of the bids will not be entertained and may disqualify the original offer.
- 21. The rates must be quoted strictly in accordance with our documents and Annex(s).
- 22. Discounts (if any) offered by the bidder shall be part of the bid.
- 23. In case applicable taxes have neither been included in the quoted price nor mentioned whether quoted amount is inclusive or exclusive of such taxes, then quoted amount will be considered inclusive of all taxes and selected supplier/service provider will have to provide the required services/equipment, if selected and declared as lowest evaluated bid. In case selected bidder is not willing to supply on quoted amount then bid security submitted with the bid will be forfeited in favor of the Commission and second lowest evaluated bid will be awarded the contract
- 24. Bids shall be evaluated as per technical evaluation criteria prescribed in the bidding documents and bidders meeting all the must requirements and quoting lowest rate shall be selected.
- 25. Bidder must have regular place of business, telephone numbers and email address and must provide proof of their existence in the particular business.
- 26. Bidder must submit an affidavit with the bid that the bidder is not blacklisted by any organization.
- 27. Only registered suppliers who are on Active Taxpayers List (ATL) of FBR are eligible to supply goods/services to the Commission.
- 28. If any supplier is not in ATL then his payment shall be stopped till he files his mandatory returns and appears on ATL of FBR.

- 29. Items included in Compulsory Certification Scheme of PSQCA shall be duly certified by an accredited laboratory and fulfill necessary conditions of PSQCA, as applicable.
- 30. SECP reserves the right to cancel this invitation and reject all bids at any stage of the bidding process.
- 31. Quantities may vary according to SECP requirement.
- 32. All software based items contains installation and configuration and end user orientation which is responsibility of the supplier (if support is not provided by the Principal).
- 33. The equipment/software/renewals supplied must be duty paid in respect of all applied duties and taxes.
- 34. The end user License, end user warranties and end user support services will be in the name of SECP for all equipment and software loaded on the equipment delivered.
- 35. A copy of valid authorized agency/partnership/dealership/distributorship certificate from their principals is to be submitted with the bid in case of any such claim.
- 36. The bidders do not have the option of submitting their bids electronically. Telegraphic and conditional bids will not be accepted. Unsealed bids will not be entertained.
- 37. Sealed bids may be dropped in the tender drop box placed at Ground Floor of the NIC Building, 63 Jinnah Avenue, Islamabad.
- 38. Clarification if any on the technical requirement may be obtained <u>ubaidullah.khalid@secp.gov.pk</u>
- 39. The bids received after the due date and time will not be entertained.
- 40. Successful bidders shall be bound to provide the required equipment/services within the delivery period. In case of late delivery, late delivery (LD) charges equivalent to 1% (of the PO/contract Value) per week shall be imposed and deducted from the payment. However, imposed penalty shall not exceed 10% of the PO/contract value.
- 41. The place of bid destination is: **Securities and Exchange Commission of Pakistan,** NICL Building, 63 Jinnah Avenue, Blue Area, Islamabad.
- 42. The envelopes shall bear the following additional identification marks:

Bid for:	"Web Application Firewall (Reverse Proxy)"
Bidder Name:	XYZ
Attention: M. Ubaidullah Khalid	
	Deputy Director (Admin), 4th Floor
	NICL Building, 63 Jinnah Avenue
	Blue Area, Islamabad

43. The deadline for the submission of bids is:

Date: December 31, 2018 Time: 1500Hrs 44. The bid opening shall take place at:

Securities and Exchange Commission of Pakistan NICL; Building, 63 Jinnah Avenue, Blue Area, Islamabad Date: December 31, 2018 Time: 1530Hrs

A statement "Not to be opened before 1530 Hrs on Date: December 31, 2018" shall be clearly mentioned on the top of the sealed bid.

Note:

- The attachment details are as under
 - 1. Terms of Reference and Bids Evaluation Criteria Annex "A"

If the above terms and conditions are acceptable then bids must be submitted well in time and according to the requirements



TERMS OF REFERENCE			
Requirement		Quantity	
Web Application Firewall (Reverse	e Proxy)	01	
Delivery Inform	Delivery Information		
The firewall must be delivered and installed at SECP Head Office, Islamabad			
Web Application Firewall (Reverse Proxy)			
Web Application Firewall must be of data center class providing filtered traffic to and from hosted web applications with reverse proxy capabilities			
Web Application Firewall Perfor	mance Requirements		
Web Application Firewall throughput	100 Mbps or higher		
Hypervisor Support	VMware and other hyperv	isors	
High availability Support	Active-Active and Active-	Standby	
vCPU	02 or more		
Memory Support	1 GB or higher		

 Table 1: Web Application Firewall Performance Requirements

S. No.	Feature Requirements		
1.	The proposed solution MUST be a virtual appliance		
2.	The proposed solution MUST inspect HTTP, HTTPs, & FTP to prevent attacks		
3.	The proposed solution Must provide Protection against OWASP Top Ten security risks		
4.	The proposed solution MUST be PCI/ DSS compliant		
5.	The proposed solution MUST support SSL/ TLS offloading		
6.	The proposed solution MUST prevent access by unauthorized IP(s) and subnets		
7.	The proposed solution should have a database of signatures, designed to detect known problems and attacks		
8.	The proposed solution MUST Support automatic updates to the signature database, ensuring complete protection against the latest application threats.		
9.	The proposed solution should have ability to correlate multiple security events together to accurately distinguish between good and bad traffic		
10.	 The proposed solution MUST support custom security rules, Administrators should be able to define rules for the positive or negative security model and to create correlation rules with multiple criteria 		
11.	 The proposed solution should have Reputational Base Service which can provide a near-real time live feed of the following known attack sources: Malicious IPs 		
12.	The proposed solution should have "anti-automation" protection, which can block the automated attacks using hacking tools, scripts, framework etc.		
13.	The proposed solution MUST Inspect and monitor all HTTP(s) data and the application levels including HTTP headers, form fields, and the HTTP body		
14.	The proposed solution should support reporting and logging facilities		

15. The proposed solution should be able to report events via standard mechanisms, for example, to a syslog or SNMP server or a SIEM solution 16. The proposed solution should provide customized logging levels and filters 17. The proposed solution should provide reports based on PCI Compliance, Attack Vivites, Traffe Activities, Event Activities in multiple formats like, HTML, PDF, MS-Word, Text & MHT with the capability of sending these reports to Email/Group of Email Addresses and FTP Server 19. The proposed solution should provide high-level dashboard of system status and Web activity 20. Event Management tools / system 21. The reporting information should contain at least the following information: Source to Destination connection information Extensive packet header information Extensive packet header information Raw and Hex body presentation for POST parameters Signature match in preventing the attack Pattern Match Log should be able to provide top attacks, top source and countries of attacks in GUI 22. The proposed solution should have Blocked IPs information dashboard 23. The proposed solution must have the functionality to release the blocked IP adshboard 24. The proposed solution must have the functionality to release the blocked IP adshboard 25. The proposed solution must have the functionality to release the blocked IP adshboard			
16. The proposed solution should provide customized logging levels and filters 17. The proposed solution should provide reports based on PCI Compliance, Attack Activities, Taffic Activities, Event Activities in multiple formats like, HTML, PDF, MS-Word, Text & MHT with the capability of sending these reports to Email/Group of Email Addresses and FTP Server 19. The proposed solution should provide high-level dashboard of system status and Web activity 20. The proposed solution should provide high-level dashboard of system status and Web activity 20. The reporting information should contain at least the following information: Source to Destination connection information Extensive packet header information Raw and Hex body presentation for POST parameters Signature match in preventing the attack Pattern Match Log should be able to provide top attacks, top source and countries of attacks in GUI 22. The proposed solution should have Blocked IPs information dashboard 23. The proposed solution should have Blocked IPs information dashboard 24. The proposed solution must have the functionality to release the blocked IP addresses The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/third-party Anti-Virus solution The proposed solution should support protection from Network and Application Level DoS Reverse Proxy Offline Protection Transparent Proxy/Inspection The proposed solution should support potecti	15.		
Image: The proposed solution should provide reports based on PCI Compliance, Attack Activities, Traffic Activities, Event Activities in multiple formats like, HTML, PDF, MS-Worf, Text & MHT with the capability of sending these reports to Email/Group of Email Addresses and FTP Server 19. We bactivity 20. The proposed solution should provide high-level dashboard of system status and We bactivity 20. The proposed solution should provide high-level dashboard of system status and We bactivity 20. The proposed solution should provide high-level dashboard of system status and We bactivity 20. The proposed solution should bave the ability to integrate with standard Security Event Management tools / system 21. The proposed solution should contain at least the following information: Source to Destination connection information Extensive packet header information Extensive packet header information Signature match in preventing the attack Pattern Match Log should be able to provide top attacks, top source and countries of attacks in GUI 22. The proposed solution should have Bonet Analysis information dashboard 23. The proposed solution must have the functionality to release the blocked IP addresses 24. The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/third-party Anti-Virus solution 26.	16.		
18. Activities, Traffic Activities, Event Activities in multiple formats like, HTML, PDF, MS-Word, Text & MHT with the capability of sending these reports to Email Adversess and TPP server 19. The proposed solution should provide high-level dashboard of system status and Web activity 20. The proposed solution should have the ability to integrate with standard Security Event Management tools / system 20. The reporting information should contain at least the following information: Source to Destination connection information Extensive packet header information Extensive addition should have a Data-analytics dashboard 23. The proposed solution should have Blocked IPs information dashboard 24. The proposed solution should have Client device management information dashboard 25. The proposed solution must have the functionality to release the blocked IP addresses Reverse Proxy Offline Protection Transparent Proxy/Inspection 29. Level DoS The proposed solution should support protection from Network and Application Level DoS The proposed solution should support protection from Network and Application Level DoS The proposed solution should support loa	17.	The proposed solution should provide customized logging levels and filters	
 Web activity The proposed solution should have the ability to integrate with standard Security Event Management tools / system The reporting information should contain at least the following information: Source to Destination connection information Extensive packet header information Extensive packet header information Extensive packet header information for POST parameters Signature match in preventing the attack Pattern Match Log should be able to provide top attacks, top source and countries of attacks in GUI The proposed solution should have a Data-analytics dashboard The proposed solution should have Blocked IPs information dashboard The proposed solution should have Blocked IPs information dashboard The proposed solution should have Client device management information dashboard The proposed solution must have the functionality to release the blocked IP addresses The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/hird-party Anti-Virus solution The solution must support following deployment modes Reverse Proxy Offline Protection Transparent Proxy/Inspection The proposed solution should support multiple Certificates to be imported which can be used for different published websites The proposed solution should support twolt-Dafacement The proposed solution should support Nultiple Cartificates to be imported which can be used for different published websites The proposed solution should support Nultiple Cartificates to be imported which can be used for different published websites The proposed solution should support ton truting for HTT	18.	Activities, Traffic Activities, Event Activities in multiple formats like, HTML, PDF, MS-Word, Text & MHT with the capability of sending these reports to	
 Event Management tools / system The reporting information should contain at least the following information: Source to Destination connection information Extensive packet header information Extensive packet header information Raw and Hex body presentation for POST parameters Signature match in preventing the attack Pattern Match Log should be able to provide top attacks, top source and countries of attacks in GUI The proposed solution should have a Data-analytics dashboard The proposed solution should have Blocked IPs information dashboard The proposed solution should have Client device management information dashboard The proposed solution must have the functionality to release the blocked IP addresses The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/third-party Anti-Virus solution The solution must support following deployment modes Reverse Proxy Offline Protection Transparent Proxy/Inspection The proposed solution should support multiple Certificates to be imported which can be used for different published websites The proposed solution should support multiple Certificates to be imported which can be used for different published websites The proposed solution should support Content routing for HTTP The proposed solution should support Content routing for HTTP The proposed solution should support Content routing for HTTP The proposed solution should support Content routing for HTTP The proposed solution should support Content routing f	19.	The proposed solution should provide high-level dashboard of system status and	
The reporting information should contain at least the following information: • Source to Destination connection information • Extensive packet header information 21. • Raw and Hex body presentation for POST parameters • Signature match in preventing the attack • Pattern Match Log should be able to provide top attacks, top source and countries of attacks in GUI 22. The proposed solution should have a Data-analytics dashboard 23. The proposed solution should have Blocked IPs information dashboard 24. The proposed solution should have Blocked IPs information dashboard 25. dashboard 26. The proposed solution must have the functionality to release the blocked IP addresses 27. The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/third-party Anti-Virus solution The solution must support following deployment modes • Reverse Proxy • Offline Protection • Transparent Proxy/Inspection 30. The proposed solution should support web-Anti-Defacement 31. The proposed solution should support Content routing for HTTP 33. The pro	20.		
 23. The proposed solution should have Botnet Analysis information dashboard 24. The proposed solution should have Blocked IPs information dashboard 25. The proposed solution must have the functionality to release the blocked IP addresses 26. The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/third-party Anti-Virus solution 27. The solution must support following deployment modes e Reverse Proxy Offline Protection Transparent Proxy/Inspection 29. The proposed solution should support multiple Certificates to be imported which can be used for different published websites 30. The proposed solution should support Web-Anti-Defacement The proposed solution should be capable of supporting persistency features like Persistent IP, Persistent Cookies, Insert Cookies 34. The proposed solution should support Content routing for HTTP 35. The proposed solution should be able to provide Caching and Compression Solution	21.	 Source to Destination connection information Extensive packet header information Raw and Hex body presentation for POST parameters Signature match in preventing the attack Pattern Match Log should be able to provide top attacks, top source and countries of attacks in 	
24. The proposed solution should have Blocked IPs information dashboard 25. The proposed solution should have Client device management information dashboard 26. The proposed solution must have the functionality to release the blocked IP addresses 27. The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/third-party Anti-Virus solution 28. • Reverse Proxy • Offline Protection • Transparent Proxy/Inspection 29. The proposed solution should support protection from Network and Application Level DoS 30. The proposed solution should support multiple Certificates to be imported which can be used for different published websites 31. The proposed solution should support load balancing based on Round-Robin, Weighted Round-Robin Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash 33. The proposed solution should be capable of supporting persistency features like Persistent IP, Persistent Cookies, Insert Cookies 34. The proposed solution should support X-Forwarder & CAPTCHA 36. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 37. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures	22.	The proposed solution should have a Data-analytics dashboard	
24. The proposed solution should have Blocked IPs information dashboard 25. The proposed solution should have Client device management information dashboard 26. The proposed solution must have the functionality to release the blocked IP addresses 27. The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/third-party Anti-Virus solution 28. • Reverse Proxy • Offline Protection • Transparent Proxy/Inspection 29. The proposed solution should support protection from Network and Application Level DoS 30. The proposed solution should support multiple Certificates to be imported which can be used for different published websites 31. The proposed solution should support load balancing based on Round-Robin, Weighted Round-Robin Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash 33. The proposed solution should be capable of supporting persistency features like Persistent IP, Persistent Cookies, Insert Cookies 34. The proposed solution should support X-Forwarder & CAPTCHA 36. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 37. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures	23.	The proposed solution should have Botnet Analysis information dashboard	
 23. dashboard 26. The proposed solution must have the functionality to release the blocked IP addresses 27. The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/third-party Anti-Virus solution 27. The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/third-party Anti-Virus solution 28. Reverse Proxy Offline Protection Transparent Proxy/Inspection 29. The proposed solution should support protection from Network and Application Level DoS 30. The proposed solution should support multiple Certificates to be imported which can be used for different published websites 31. The proposed solution should support load balancing based on Round-Robin, Weighted Round-Robin, Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash 33. The proposed solution should support Content routing for HTTP 35. The proposed solution should support X-Forwarder & CAPTCHA 36. Solution 37. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 38 The proposed solution should support user scoring based on its activity on a 	24.		
 addresses 27. The proposed solution MUST support on-board Anti-Virus without any additional software/hardware/third-party Anti-Virus solution The solution must support following deployment modes Reverse Proxy Offline Protection Transparent Proxy/Inspection 29. The proposed solution should support protection from Network and Application Level DoS 30. The proposed solution should support multiple Certificates to be imported which can be used for different published websites 31. The proposed solution should support Veb-Anti-Defacement 32. Weighted Round-Robin, Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash 33. The proposed solution should be capable of supporting persistency features like Persistent IP, Persistent Cookies, Insert Cookies 34. The proposed solution should support X-Forwarder & CAPTCHA 35. The proposed solution should support X-Forwarder & CAPTCHA 36. The proposed solution should be able to provide Caching and Compression Solution 37. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 38. The proposed solution should support user scoring based on its activity on a 	25.	The proposed solution should have Client device management information	
 21. software/hardware/third-party Anti-Virus solution The solution must support following deployment modes Reverse Proxy Offline Protection Transparent Proxy/Inspection 29. The proposed solution should support protection from Network and Application Level DoS 30. The proposed solution should support multiple Certificates to be imported which can be used for different published websites 31. The proposed solution should support Web-Anti-Defacement The proposed solution should support load balancing based on Round-Robin, Weighted Round-Robin, Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash 33. The proposed solution should support Content routing for HTTP 35. The proposed solution should support X-Forwarder & CAPTCHA 36. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 38. The proposed solution should support user scoring based on its activity on a 	26.		
 28. Reverse Proxy Offline Protection Transparent Proxy/Inspection 29. The proposed solution should support protection from Network and Application Level DoS 30. The proposed solution should support multiple Certificates to be imported which can be used for different published websites 31. The proposed solution should support Web-Anti-Defacement 32. The proposed solution should support load balancing based on Round-Robin, Weighted Round-Robin, Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash 33. The proposed solution should be capable of supporting persistency features like Persistent IP, Persistent Cookies, Insert Cookies 34. The proposed solution should support X-Forwarder & CAPTCHA 36. The proposed solution should be able to provide Caching and Compression Solution 37. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 38. The proposed solution should support user scoring based on its activity on a	27.		
 29. The proposed solution should support protection from Network and Application Level DoS 30. The proposed solution should support multiple Certificates to be imported which can be used for different published websites 31. The proposed solution should support Web-Anti-Defacement 32. The proposed solution should support load balancing based on Round-Robin, Weighted Round-Robin, Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash 33. The proposed solution should be capable of supporting persistency features like Persistent IP, Persistent Cookies, Insert Cookies 34. The proposed solution should support X-Forwarder & CAPTCHA 36. The proposed solution should be able to provide Caching and Compression Solution 37. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 38. The proposed solution should support user scoring based on its activity on a 	28.	 Reverse Proxy Offline Protection	
 30. can be used for different published websites 31. The proposed solution should support Web-Anti-Defacement 32. The proposed solution should support load balancing based on Round-Robin, Weighted Round-Robin, Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash 33. The proposed solution should be capable of supporting persistency features like Persistent IP, Persistent Cookies, Insert Cookies 34. The proposed solution should support Content routing for HTTP 35. The proposed solution should support X-Forwarder & CAPTCHA 36. The proposed solution should be able to provide Caching and Compression Solution 37. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 38 The proposed solution should support user scoring based on its activity on a 	29.	The proposed solution should support protection from Network and Application	
32.The proposed solution should support load balancing based on Round-Robin, Weighted Round-Robin, Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash33.The proposed solution should be capable of supporting persistency features like Persistent IP, Persistent Cookies, Insert Cookies34.The proposed solution should support Content routing for HTTP35.The proposed solution should support X-Forwarder & CAPTCHA36.The proposed solution should be able to provide Caching and Compression Solution37.The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures38The proposed solution should support user scoring based on its activity on a	30.		
 32. Weighted Round-Robin, Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash 33. The proposed solution should be capable of supporting persistency features like Persistent IP, Persistent Cookies, Insert Cookies 34. The proposed solution should support Content routing for HTTP 35. The proposed solution should support X-Forwarder & CAPTCHA 36. The proposed solution should be able to provide Caching and Compression Solution 37. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 38. The proposed solution should support user scoring based on its activity on a 	31.	The proposed solution should support Web-Anti-Defacement	
53.Persistent IP, Persistent Cookies, Insert Cookies34.The proposed solution should support Content routing for HTTP35.The proposed solution should support X-Forwarder & CAPTCHA36.The proposed solution should be able to provide Caching and Compression Solution37.The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures38The proposed solution should support user scoring based on its activity on a	32.	Weighted Round-Robin, Least Connection, URI/Full URI Hash, Host Hash, Host Domain Hash & Domain Hash	
 35. The proposed solution should support X-Forwarder & CAPTCHA 36. The proposed solution should be able to provide Caching and Compression Solution 37. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 38 The proposed solution should support user scoring based on its activity on a 		Persistent IP, Persistent Cookies, Insert Cookies	
36. The proposed solution should be able to provide Caching and Compression Solution 37. The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures 38 The proposed solution should support user scoring based on its activity on a			
30.Solution37.The proposed solution should provide an ability to administrator to create custom attack signature, other than pre-defined known signatures38The proposed solution should support user scoring based on its activity on a	35.		
57.attack signature, other than pre-defined known signatures38The proposed solution should support user scoring based on its activity on a	36.		
The proposed solution should support user scoring based on its activity on a	37.	The proposed solution should provide an ability to administrator to create custom	
	38.	The proposed solution should support user scoring based on its activity on a	

39.	The proposed solution should support Automatic learning/profiling of the activity happening on the published services		
	The proposed solution should support URL Rewriting, and Layer-7 Server Load		
40.	Balancing		
	The proposed solution should support behavioral validation to prevent from		
41.	unknown application attacks		
43.	The proposed solution should support on-box AV scanning for uploaded files		
	The proposed solution should have the ability to detect attacks at multiple levels,		
	including operating system, Web server software and application-level attacks:		
	• XML and JSON protocol conformance,		
	Malware Detection,		
	Protocol Validation,		
	Brute Force Protection,		
	Cookie Signing and Encryption,		
	• Syntax-based SQLi detection,		
	HTTP Header Security,		
	• Custom error message and error code handling,		
	• Data leak prevention,		
	• Web-Sockets support,		
44.	• Cross site scripting (XSS),		
	• Layer 4 & Layer 7 DoS and DDoS,		
	• Generic Attacks,		
	• Trojans,		
	Known Exploits,		
	Information Disclosure,		
	• Form Field Parameter Tampering and HPP tampering,		
	• Session hijacking,		
	• Cookie manipulation and poisoning,		
	Buffer Overflows, Gradit Cand Data stien		
	 Credit Card Detection, Protection against known database and Web server unbershilities 		
	 Protection against known database and Web server vulnerabilities, Ecreaful browsing and 		
	Forceful browsing, andBroken access control		
Broken access control Administration and Authentication			
45.	The proposed solution should support web-based and CLI-based access methods		
43. 46.	The proposed solution should support web-based and CEI-based access methods The proposed solution should support role-based access control		
vuinera	bility Assessment and Management The proposed solution should provide a Vulnerability Assessment and provide a		
47.	detailed Assessment Report for the monitored WEB Application(s)		
	The proposed solution should have the ability to measure compliance with		
48.	48. Industry standards and regulations		
49.	The proposed solution should natively support HTTP2 as well as HTTP1.x		
50.	The proposed solution should support Virtual Patching for the backend servers		
Product roadmap:			
	• The roadmap of the quoted product must be shared		
C 1	 The quoted product must not have an announced end of marketing/ sale 		
51.	date		
	• The quoted product must remain in support by the Principal for at least		
	next 05 years		
	Table 2: Web Application Firewall Feature Requirements		

Technical Evaluation Criteria

S. No.	Marks	
1.	Description05 years comprehensive warranty with Advance hardwarereplacement and 24x7 technical support from the Principal	MUST
2.	Valid Partnership Letter with Principal/ Manufacturer	MUST
3.	Bidder must have history of similar projects of IT security solution deployments of minimum 05 years (attach proof)	MUST
4.	Bidder shall provide the list of similar projects undertook in last 02 years	MUST
5.	Bidder shall provide the list of Technical resources and project team (share resumes)	MUST
6.	Details of existing clients (minimum 02) with contact details	MUST
7.	Authorization Letter from Principal for Tender Participation	MUST
8.	The quoted solution should provide comprehensive reporting and alerts for both general and focused information	MUST
9.	Antivirus, IP reputation, Protocol validation, Attack Signatures Updates, Unknown Application attacks for a period of 05 years subscription	MUST
10.	Gartner 2018 Magic Quadrant for Web Application Firewalls (Leaders & Challengers Only)	MUST
11.	Performance requirements (as in Table-1) and Feature requirements (as in Table-2) of the above TOR	MUST
12.	Free of cost professional hands on training for 02 SECP resources	MUST
13.	Deployment, installation and configuration shall be vendor's responsibility	MUST

 Table 3: Technical Evaluation Criteria

NOTE:

- 1. The bidders MUST submit a compliance sheet against mentioned performance requirements, feature requirements, and the technical evaluation criteria.
- 2. Bids NOT in compliance with must items in the evaluation criteria will NOT be evaluated.

FORMAT FOR COMPLIANCE SHEET

SR	ATTRIBUTE	SPECIFICATION	COMPLIANCE (YES/NO/PARTIAL)

FORMAT FOR FINANCIAL BID ONLY

S#	Quoted Item (Brand, Model etc.)	Unit Price with all applicable taxes	Total Price with all applicable tax
1.			