

Securities and Exchange Commission of Pakistan

63-NIC Building, Blue Area, Islamabad (Administration Department) ******

Subject: <u>Request for Quotation – Supply and Installation of Network Switch</u>

The Commission intends supply and installation of network switch as per TORs at Annex "A".

Terms and Conditions:

- > **Price** must be inclusive of all taxes applicable by Govt. of Pakistan.
- > Quotation Validity Minimum 90 Days from quoted date.
- > Quotation Submission deadline: as per SECP Website.
- Interested suppliers can quote any equivalent equipment/product of any brand in response to the above requirement. However quoted model/product MUST be compatible with the existing installations at SECP and required in TOR's.
- Quotations shall be evaluated as per evaluation criteria mentioned. Quotation found in compliance to all the MUST requirements of the evaluation and quoting lowest price for the complete job i.e. all locations, shall be selected.
- > Quantity required may increase or decrease, if applicable.
- SECP reserves its right to cancel the entire purchase process without assigning any reason.
- Clarification if any on the requirements may be obtained from:
 ubaidullah.khalid@secp.gov.pk

If you are interested, you may submit a sealed quotation for the above item/service to the undersigned within the specified period, at the following address:

SECP, 4th floor, 63 - NIC Building, Jinnah Avenue, Blue Area, Islamabad.

With best regards,

M. Ubaidullah Khalid Deputy Director (Admin)

Tec	hnical Specification	ns for CRO Kar	achi Switch

	TERMS OF REFERENCE				
	Requirement	Quantity			
	Network Switch	01			
	Delivery Information				
The switch m	ust be delivered and installed at SECP Karachi Office				
	Network Switches				
	Standard 48 Port Gigabit Switch				
	Technical Requirements				
Downlink Ports	48x 10/100/1000BASE-T				
Forwarding Performance	100 Mpps or Higher				
Switching Capacity	160 Gbps or Higher				
Memory	256 MB or Higher				
Flash	256 MB or Higher				
VLANs	• 4000 or higher				
	Private VLAN				
	GUI based Management				
Management	• CLI				
	• SSH				
	Power Requirements				
Input (Power Supply)					
AC range line voltage	100 to 240 VAC				
AC normal line voltage	100 to 240 VAC				
AC frequency	50/60 Hz				
	Feature Requirements				
	• STP (IEEE 802.1d), RSTP (IEEE 802.1w), and MS	STP (IEEE			
	802.1s)				
Reliability	Link Aggregation Groups (LAGs)				
	Dynamic ARP Inspection				
	MAC learning limit				
	• 802.1X Authentication				
	 DHCP Snooping 				
Security					
	• AAA • DADULS				
	• RADIUS				
QoS	• QoS (CoS)				
	RMON				
	• SNMP (v1/v2/v3)				
Management	 Web Management 				
	• TFTP				
	• SSH				

Warmants and Compare	•	01 Years Next Business Day (NBD) replacement and 24x7
Warranty and Support		Technical support from the Principal

Technical Evaluation Criteria

Sr. No.	Description	Marks
1.	Manufacturer/ Principal Support (01 Year Minimum)	
2.	802.1X Authentication	
3.	 Product Road Map: The quoted product must not be End-of-Life (EOL) and End-of-Support (EOS) The quoted product must remain in support by the principal for at least next 05 years 	MUST
4.	Technical and feature specifications as per Table-1 of the above TOR	MUST
5.	1 RU fixed configurationAC power supply	MUST
6.	Configuration and deployment by vendor	MUST
7.	Gartner Magic Quadrant 2018 for Data Center Networking (Challengers and Leaders only)	MUST

NOTE:

- 1. The supplier MUST submit a compliance sheet against mentioned technical requirements, power requirements, feature requirements, and the technical evaluation criteria.
- 2. Quotations NOT in compliance with must items in the evaluation criteria will NOT be evaluated.